

News Release

NORTHWEST COPPER ANNOUNCES NEW HIGH-GRADE DRILL RESULTS AT KWANIKA

HIGH-GRADE INTERCEPTS EXPAND NEAR-SURFACE FOOTPRINT AT KWANIKA. HIGHLIGHTS INCLUDE 230.95m AT 0.99 % CuEQ AND 155m OF 0.93% CuEQ

Vancouver, BC – September 9, 2021 – NorthWest Copper (“NorthWest” or “the Company”) (TSX-V: NWST) (OTCQX: NWCCF) is pleased to announce that assays have been received from the initial surface expansion and confirmation drilling at Kwanika. The results, with consistently high-grade intercepts starting at 25 to 36 metres downhole, support Kwanika as a unique high-grade porphyry copper-gold deposit and expand the near-surface footprint of potential open pit mineralization. Additional Kwanika results will follow for ongoing deeper drilling and step-out drilling. As a reminder our first East Niv drill program is also in progress. Additional assay results will be disclosed as results become available.

Highlights are given below:

- Drillhole K-21-205 – **230.95m¹ at 0.99% CuEq²** including **94.6m at 1.62% CuEQ**
- Drillhole K-21-207 – **187m at 0.81% CuEq** including **73.0m at 1.22% CuEQ**
- Drillhole K-21-208 – **196m at 0.65% CuEq** including **52.5m at 1.47% CuEQ**
- Drillhole K-21-209 – **154.5m at 0.93% CuEq** including **53m at 1.66% CuEQ**
- Drillhole K-21-211 – **137.5m at 0.91% CuEq** including **71m at 1.34% CuEQ**

A plan map and figures are included below.

The 2021 drill program at Kwanika was designed to expand and better define coherent zones of high grade Cu-Au mineralization and use this as a basis for an updated resource estimate and future economic study. Since the creation of NorthWest in March 2021 we have focussed on our high-grade Stardust deposit and on the high-grade portion of Kwanika. We delivered favourable Stardust metallurgy in April 2021 and an updated and expanded high-grade Stardust resource in May 2021. The current drill assay results enhance and expand the near-surface high-grade portion of Kwanika. These results, along with a set of deeper holes still to be released, will support an updated Kwanika resource planned for Q4 2021. Kwanika is

¹ True widths of the reported mineralized intervals have not been determined

² Assumptions used in USD for the copper equivalent calculation were metal prices of \$3.25/lb. Copper, \$1,600/oz Gold, \$20/oz Silver, and recovery is assumed to be 100% given the level of metallurgical test data available. The following equation was used to calculate copper equivalence: CuEq = Copper (%) + (Gold (g/t) x 0.7182) + (Silver (g/t) x 0.0090).

unique not only in having a distinct and coherent high-grade zone of mineralization, but also by having it come close to the surface. The current near-surface results clearly support this.

The assays from this drilling enhance the existing block model³. The holes extend high-grade mineralization into previously modelled lower grade zones and add confidence to the interpolated grade in other areas. Two of the holes are outside of the historic grade boundary. These two holes, K-21-207 and K-21-208, can be seen to intersect grades up to and above 1% copper equivalent (“CuEQ”) into areas with lower grade to no grade. This can be seen in Figure 2.

Peter Bell, President & CEO of NorthWest states: “These are excellent first results and a great start for our new company, NorthWest Copper. They highlight the high-grade nature of our Kwanika deposit and increase the near-surface footprint of that mineralization. The new results will be incorporated in our updated Kwanika resource planned for Q4 2021. We will have additional drill results from deeper holes and step out targets to follow these results.”

“The expansion of the Kwanika high-grade footprint compliments the new high-grade resource at our adjacent Stardust project, presented to the market in May. We believe both deposits to be exceptional and the results to date support our strategy of advancing these scalable high-grade Cu-Au projects. Every hole in this program intercepted significant intervals of copper equivalent grade above 1% starting at the bedrock surface as shallow as 25 m. The identification of additional high-grade so close to surface is especially valuable to the project as it is easy to access and early in the life of a potential mining operation.”

These results represent the first 2,000 metres of a program of more than 8,500 metres of drilling at Kwanika. We expect additional results later this month for the deeper Kwanika holes followed by ongoing results from East Niv and Kwanika regional exploration.

The drillholes in this release were all collared as angle holes with an inclination of -50 to -65 degrees. All exhibit similar geology. Mineralization in all holes was encountered directly below overburden with the strongest mineralization occurring coincident with porphyritic monzonite with strong potassic alteration. Alteration associated with high-grade includes intense quartz stockwork veining with chalcopyrite with minor bornite. Zones of moderate grade mineralization occur in monzonite, monzodiorite and diorite with moderate potassic alteration and quartz veining grading into propylitic alteration with local zones of mineralized potassic alteration as vein and fracture selvage alteration. This intrusive complex is cut by feldspar porphyry dikes. A full table of results is provided below:

³ See NI 43-101 technical report titled “NI 43-101 Technical Report for the Kwanika Project Resource Estimate Update 2019,” dated April 17, 2019, filed under the Company’s SEDAR profile at www.sedar.com.

Table 1: Significant Drill Results From This News Release

Drill Hole	From (m)	To (m)	Interval (m)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (%)
K-21-205	35.70	266.65	230.95	0.56	0.58	1.9	0.99
<i>incl.</i>	35.70	130.30	94.60	0.8	1.10	2.6	1.62
K-21-207	25.50	212.50	187.00	0.62	0.24	1.6	0.81
<i>incl.</i>	25.50	98.50	73.00	0.90	0.41	2.5	1.22
K-21-208	25.50	221.50	196.00	0.49	0.20	1.5	0.65
<i>incl.</i>	25.50	78.00	52.50	1.09	0.49	3.6	1.47
K-21-209	28.50	183.00	154.50	0.58	0.47	1.9	0.92
<i>incl.</i>	28.50	81.50	53.00	0.96	0.95	3.2	1.66
K-21-211	36.00	173.50	137.50	0.64	0.36	1.9	0.91
<i>incl.</i>	36.00	107.00	71.00	0.88	0.61	2.7	1.34

Assumptions used in USD for the copper equivalent calculation were metal prices of \$3.25/lb. Copper, \$1,600/oz Gold, \$20/oz Silver, and recovery is assumed to be 100% given the level of metallurgical test data available. The following equation was used to calculate copper equivalence: $CuEq = Copper (\%) + (Gold (g/t) \times 0.7182) + (Silver (g/t) \times 0.0090)$.

Quality Assurance / Quality Control

Drilling completed at Kwanika in 2021 was supervised by on-site NorthWest personnel who collected and tracked samples and implemented a full QA/QC program using blanks, standards and duplicates to monitor analytical accuracy and precision. The samples were sealed on site and shipped to Bureau Veritas (BV) in Vancouver BC for analysis. BV's quality control system complies with global certifications for Quality ISO9001:2008. Core samples were analyzed using a combination of BV's MA200 process for all samples (ICP-MS/4 acid digestion) and the MA370 process for overlimit samples of higher level concentration (ICP-ES/4 acid digestion). Gold assaying was completed with FA430, a 30-gram fire assay with AAS finish. A silica wash was used between high-grade samples to ensure no sample carry over.

Technical aspects of this news release have been reviewed, verified and approved by Ian Neill P.Ge., Vice President Exploration of NorthWest, who is a qualified person as defined by National Instrument 43-101 – Standards of Disclosure for Minerals Projects.

Stardust

As a continuation of the Kwanika drilling, NorthWest is drilling three holes at Stardust. These are intended to test continuity of mineralization below the main trend and parallel to the main trend. The three-hole program is expected to commence shortly.

About NorthWest Copper:

NorthWest Copper is a new copper-gold explorer and developer with an exciting pipeline of projects in British Columbia. With a robust portfolio in a tier one jurisdiction, Northwest Copper is well positioned to participate fully in a strengthening global copper market. Additional information can be found on the Company's website at www.northwestcopper.ca.

On Behalf of the Board of Directors of NorthWest Copper Corp.

“Peter Bell”

Director, President and CEO

For further information, please contact:

Adrian O’Brien, Director Marketing & Communications


Tel: 604-809-6890

Email: aobrien@northwestcopper.ca

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Statement Regarding Forward Looking Information

All statements, trend analysis and other information contained in this press release about anticipated future events or results constitute forward-looking statements including but not limited to: statements with respect to the estimation of mineral resources; magnitude or quality of mineral deposits; anticipated advancement of mineral properties or programs; future operations; mine plans; future exploration prospects; the completion and timing of a PEA and/or updated mineral resource estimates; future growth potential of NorthWest Copper; and future development plans. Forward-looking statements are often, but not always, identified by the use of words such as “seek”, “anticipate”, “believe”, “plan”, “estimate”, “expect” and “intend” and statements that an event or result “may”, “will”, “should”, “could” or “might” occur or be achieved and other similar expressions. All statements, other than statements of historical fact, included herein, are forward-looking statements. Although NorthWest Copper believes that the expectations reflected in such forward-looking statements and/or information are reasonable, undue reliance should not be placed on forward-looking statements since NorthWest Copper can give no assurance that such expectations will prove to be correct. These statements involve known and unknown risks, uncertainties and other factors that may cause actual results or events to differ materially from those anticipated in such forward-looking statements, including the risks, uncertainties and other factors identified in NorthWest Copper’s periodic filings with Canadian securities regulators. Forward-looking statements are subject to business and economic risks and uncertainties and other factors that could cause actual results of operations to differ materially from those contained in the forward-looking statements. Important factors that could cause actual results to differ materially from NorthWest Copper’s expectations include risks associated with the business of NorthWest Copper; risks related to reliance on technical information provided by NorthWest; risks related to exploration and potential development of the Projects; business and economic conditions in the mining industry generally; fluctuations in commodity prices and currency exchange rates; uncertainties relating to interpretation of drill results and the geology, continuity and grade of mineral deposits; the need for cooperation of government agencies and native groups in the exploration and development of properties and the issuance of required permits; the need to obtain additional financing to develop properties and uncertainty as to the availability and terms of future financing; the possibility of delay in exploration or development programs and uncertainty of meeting anticipated program milestones; uncertainty as to timely availability of permits and other governmental approvals; and other risk factors as detailed from time to time and additional risks identified in NorthWest Copper’s filings with Canadian securities regulators on SEDAR in Canada (available at www.sedar.com). Forward-looking statements are based on estimates and opinions of management at the date the statements are made. NorthWest Copper does not undertake any obligation to update forward-looking statements except as required by applicable securities laws. Investors should not place undue reliance on forward-looking statements.



2019 Resource Block Model Shape
 (see 2019 43-101 Technical report
 effective December 14, 2018)

Section 351,540 E

Section 6,156,285 N

Section 6,156,255 N

K-21-205
 K-21-209
 K-21-207
 K-21-208
 K-21-211

Drillholes

- - Historic Collar
- - 2021 Drill hole

Drill hole CuEq

	≤ 0.1
	≤ 0.3
	≤ 0.5
	≤ 0.7
	≤ 1.0
	> 1.0

CuEq (%)

0 100m


NorthWestcopper


KWANIKA COPPER PROJECT

Plan View

Drill Results to accompany
 Press Release September 9th 2021

FIGURE 1





351300E

351400E

351500E

351600E

351700E

351800E

W

Section 6,156,285 N

E

1040m

overburden

970m

K-21-205

K-21-209

K-21-211

K-18-180

K-18-182

K-07-28

K-20-198

Block Model (2019)

- < 0.1
 - < 0.3
 - < 0.5
 - ≤ 0.7
 - ≤ 1.0
 - > 1.0
- CuEq (%)**

Drill hole CuEq

- ≤ 0.1
 - ≤ 0.3
 - ≤ 0.5
 - ≤ 0.7
 - ≤ 1.0
 - > 1.0
- CuEq (%)**

900m

830m

sediments

760m

Open Pit confining
2019 Resource Shape

(see 2019 43-101 Technical report
effective December 14, 2018)

K-07-19

K-18-189



690m

NorthWestcopper

KWANIKA COPPER PROJECT

Section 6,156,285 N

Drill Results to accompany

Press Release September 9th 2021

FIGURE 3

